Printing date 01.07.2013 Revision: 14.01.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Stock number: CAS Number: Barium hydroxide, anhydrous

17194-00-2

EC number: 241-234-5

1.2 Relevant identified uses of the substance or mixture and uses advised against.

S124 Scientific research and developr Scientific research and development

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG A Johnson Matthey Company Zeppelinstr. 7b Zeppelinsti. 7b 76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 Email: tech@alfa.com

Informing department: 1.4 Emergency telephone number:

www.alfa.com
www.alfa.com
product safety Tel + +049 (0) 7275 988687-0
Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number)
Poison Information Center Mainz
www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

🔁 C; Corrosive

R34: Causes burns.

Xn; Harmful

R20/22: Harmful by inhalation and if swallowed.

Information concerning particular hazards

for human and environment: Not applicable Other hazards that do not result in classification No information known.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms Signal word

Hazard statements

Precautionary statements

The substance is classified and labelled according to the CLP regulation.
GHS05, GHS07
Danger
H302 Harmful if swallowed.
H332 Harmful if inhaled.
H332 Harmful if inhaled.
H344 Causes severe skin burns and eye damage.
P260
Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P351 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Store locked up.

P405 P501

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment PBT:

vPvB:

Not applicable. Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Substances

After eve contact

CAS# Designation: Identification number(s): 17194-00-2 Barium hydroxide

EC number: 241-234-5

SECTION 4: First aid measures

4.1 Description of first aid measures

General information After inhalation

Instantly remove any clothing soiled by the product. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Seek immediate medical advice.

After skin contact Instantly wash with water and soap and rinse thoroughly.

Seek immediate medical advice.
Rinse opened eye for several minutes under running water. Then consult doctor.

Seek medical treatment.

After swallowing

4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available No further relevant information available

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents 5.2 Special hazards arising from the substance or mixture

Use fire fighting measures that suit the environment.

If this product is involved in a fire, the following can be released:

5.3 Advice for firefighters Protective equipment:

Wear self-contained breathing apparatus.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2013 Revision: 14.01.2013

Trade name Barium hydroxide, anhydrous

Wear full protective suit

(Contd. of page 1)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Ensure adequate ventilation

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.

6.3 Methods and material for containment

and cleaning up:

Use neutralizing agent.
Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation. No special measures required.

See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevention of secondary hazards:

6.4 Reference to other sections

Handle under dry protective gas. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace.

Information about protection against

explosions and fires:

The product is not flammable

7.2 Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and

containers: Information about storage in one common storage facility: No special requirements.

Store away from air. Store away from water. Do not store together with acids. Store away from oxidizing agents.

Further information about storage

conditions:

Store under dry inert gas.
This product is hygroscopic.
This product is air sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and keep away from water.
Store in a locked cabinet or with access restricted to technical experts or their assistants.

No further relevant information available

SECTION 8: Exposure controls/personal protection

Additional information about design of

technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters

7.3 Specific end use(s)

Components with critical values that require monitoring at the workplace:

17194-00-2 Barium hydroxide (100,0%)

0,5E mg/m3 MAK (Germany) als Ba berechnet MAK (TRGS 900) (Germany) 0,5 E mg/m³ 1, 25; (DFG, EU) PEL (USA) 0,5 mg/m³ as Ba REL (USA)

0,5 mg/m³ as Ba TLV (USA) 0,5_mg/m³ as Ba

Additional information:

No data

8.2 Exposure controls

Personal protective equipment General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.

Breathing equipment: Protection of hands:

Maintain an ergonomically appropriate working environment.
Use breathing protection with high concentrations.
Check protective gloves prior to each use for their proper condition.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Material of gloves Impervious gloves Penetration time of glove material Not determined

Eye protection:

Tightly sealed safety glasses. Full face protection

Protective work clothing. **Body protection:**

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information Appearance: Form: Colour: Powder White Odourless Smell: Odour threshold: Not determined.

pH-value: Not applicable.

(Contd. on page 3)

(Contd. of page 2)

Printing date 01.07.2013 Revision: 14.01.2013

Trade name Barium hydroxide, anhydrous

408 °C

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Inflammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Self-inflammability:
Critical values for explosion: Not determined Not determined Not determined Not determined Not determined Not determined.

Critical values for explosion:

Lower: Upper: Not determined Not determined Not applicable. Not determined Steam pressure: Density Relative density Vapour density Not determined. Not applicable. Evaporation rate Solubility in / Miscibility with Not applicable. Water: Soluble

Partition coefficient (n-octanol/water):

Not determined. Viscosity: dynamic: Not applicable. kinematic

Not applicable. No further relevant information available 9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity 10.2 Chemical stability

Thermal decomposition / conditions to be

avoided:

10.3 Possibility of hazardous reactions 10.5 Incompatible materials:

Acius Air Water/moisture Oxidizing agents Barium oxide

Acids

No information known.

10.6 Hazardous decomposition products:

SECTION 11: Toxicological information

11.1 Information on toxicological effects Acute toxicity:

Harmful if inhaled.

Harmful if swallowed.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification:

Oral LD50 308 mg/kg (rat)

Skin irritation or corrosion: Eye irritation or corrosion: Sensitization: Causes severe skin burns. Causes serious eye damage. No sensitizing effect known. No effects known.

Germ cell mutagenicity: Carcinogenicity:

EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of

carcinogenicity or no data are available.

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of

its carcinogenicity in humans and/or animals. No effects known.

Stable under recommended storage conditions.

No decomposition if used and stored according to specifications. Reacts with strong oxidizing agents

Reproductive toxicity: Specific target organ system toxicity -

repeated exposure: Specific target organ system toxicity - single

exposure: Aspiration hazard:

Additional toxicological information:

No effects known.

No effects known.

No effects known.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Harmful if swallowed.

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity:
12.2 Persistence and degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil

No further relevant information available No further relevant information available. No further relevant information available. No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment PBT:

vPvR:

Not applicable.

Not applicable. No further relevant information available. 12.6 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.

Uncleaned packagings: Recommendation:

Recommended cleaning agent:

Disposal must be made according to official regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information

UN-Number ADR, IMDG, IATA

UN3262

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2013 Revision: 14.01.2013

	(Contd. of p
4.2 UN proper shipping name ADR	3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Barium hydroxide
MDG, IATA	anhydrous) CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Barium hydroxide, anhydrous)
4.3 Transport hazard class(es)	
ADR	
Class abel MDG, IATA	8 (C6) Corrosive substances.
Class abel	8 Corrosive substances.
Packing group NDR, IMDG, IATA	III
4.5 Environmental hazards:	Not applicable.
4.6 Special precautions for user (center Number:	Warning: Corrosive substances.
Cemler Number: Segregation groups	80 Alkalis
4.7 Transport in bulk according to Annex II of MARPO	
Code	Not applicable.
ransport/Additional information:	
DR (TA)	
xcepted quantities (EQ): .imited quantities (LQ)	E1 5 kg
ransport category ´	3
unnel restriction code	Ě
JN "Model Regulation":	UN3262, CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Barium hydroxide, anhydrous), 8, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Australian Inventory of Chemical
Substances
Substance is listed.
Standard for the Uniform Scheduling of
Drugs and Poisons
Substance is not listed.
National regulations

Fineleyment restrictions concerning young persons must

Information about limitation of use:

Employment restrictions concerning young persons must be observed. For use only by technically qualified individuals.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Water hazard class:
Other regulations, limitations and prohibitive regulations
ELINCS (European List of Notified Chemical Substances)
Substances of very high concern (SVHC)
according to REACH, Article 57
REACH - Pre-registered substances
15.2 Chemical safety assessment:

Water hazard
For tabs only
Water hazard
Substance is
Substance is
Substance is
A Chemical Substance is

Substance is not listed.

Substance is not listed. Substance is listed. A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet:
Abbreviations and acronyms:

ABC: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDC: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

DE/E

DF/F