

fa *A*esa

Page 1/5

Printing date 17.11.2015 Revision: 16.11.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Hydrogen peroxide, 35% w/w aqueous solution, stabilized

Stock number: L14000
1.2 Relevant identified uses of the substance or mixture and uses advised against. No further relevant information available. Identified use: SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Thermo Fisher (Kandel) GmbH Zeppelinstr. 7b 76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 Email: tech@alfa.com www.alfa.com

Informing department: Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number: Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number) Poison Information Center Mainz www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS03 flame over circle

Ox. Liq. 1 May cause fire or explosion; strong oxidiser. H271



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Other hazards that do not result in classification No information known.

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms







GHS03 GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

Hydrogen peroxide

Hazard statements H271 May cau H302 Harmful

Hazard statements
Hazard May cause fire or explosion; strong oxidiser.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

Precautionary statements
P221 Take any precaution to avoid mixing with combustibles.
P283 Wear fire/flame resistant/retardant clothing.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Pigners of contents/container in accordance with local/regional/international regulations. Dispose of contents/container in accordance with local/regional/national/international regulations.

P501 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Dangerous components:

CAS: 7722-84-1 EINECS: 231-765-0 Hydrogen peroxide Ox. Liq. 1, H271;
 Skin Corr. 1A, H314;
 Acute Tox. 4, H302; Acute Tox. 4, H302; Acute Tox. 4, H332 Index number: 008-003-00-9

35,0%

Additional information Stabilised with:

Potassium stannate (CAS# 12125-03-0)

Non-Hazardous Ingredients

Water

CAS: 7732-18-5 EINECS: 231-791-2 65,0%

SECTION 4: First aid measures

4.1 Description of first aid measures
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
Seek inheritation and the consult advice.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

(Contd. on page 2)

Page 2/5 Printing date 17.11.2015 Revision: 16.11.2015

(Contd. of page 1)

Trade name Hydrogen peroxide, 35% w/w aqueous solution, stabilized

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

For safety reasons unsuitable extinguishing agents Halocarbon extinguisher

5.2 Special hazards arising from the substance or mixture

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. If this product is involved in a fire, the following can be released:

Decomposition products are unknown.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

6.2 Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
6.3 Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation. Absorb with liquid-binding material.

Prevention of secondary hazards:
Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material.
6.4 Reference to other sections

See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.
Information about protection against explosions and fires:
Substance/product can reduce the ignition temperature of flammable substances.
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

7.2 Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and containers: No special requirements.
Information about storage in one common storage facility:
Store away from flammable substances.
Store away from reducing agents.
Do not store with organic materials.
Store away from metal powders.
Water reacts with many metals to give hydrogen, often violently. Water also reacts violently with many reactive organic and inorganic chemicals.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

7722-84-1 Hydrogen peroxide (35,0%)

MAK (Germany) Long-term value: 0,71 mg/m³, 0,5 ppm Long-term value: 1,4 mg/m³, 1 ppm PEL (USA) REL (USA) Long-term value: 1,4 mg/m³, 1 ppm TLV (USA) Long-term value: 1,4 mg/m3, 1 ppm

Additional information: No data

8.2 Exposure controls

8.2 Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment:
Use self-contained breathing apparatus (SCBA) as a backup to engineering controls. Risk assessment should be performed. Only use equipment tested and approved under appropiate government standards such as NIOSH (USA) or CEN (EU).
Protection of hands:

Protection of hands:

Check protection of finaliss.

Check protective gloves prior to each use for their proper condition.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480
Glove thickness 0.11 mm
Eye protection:
Tightly sealed safety glasses.
Face protection

Body protection: Protective work clothing.

Safety data sheet according to 1907/2006/EC, Article 31

Page 3/5 Printing date 17.11.2015 Revision: 16.11.2015

Trade name Hydrogen peroxide, 35% w/w aqueous solution, stabilized

Not determined

Not determined. Not determined

(Contd. of page 2)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Liquid Colour: Colourless Smell: Not determined Odour threshold: Not determined. pH-value:

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start: -26 °C 107 °C Not determined Inflammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Self-inflammability: Not determined Not determined

Not determined Product is not selfigniting.

Danger of explosion: Critical values for explosion: Not determined. Lower: Upper: Not determined Not determined Steam pressure at 20 °C: Density at 20 °C Relative density 1,9 hPa 1,13 g/cm³ Not determined.

Vapour density Evaporation rate Solubility in / Miscibility with Not determined. Not determined. Fully miscible Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic:

kínematic: Solvent content:

Organic solvents: 9.2 Other information 0.0%

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity May intensify fire; oxidiser.
10.2 Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions
Water reacts violently with alkali metals.
Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.

Reacts with reducing agents
Reacts with flammable substances

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Flammable substances

Reducing agents Organic materials

Metal powders

10.6 Hazardous decomposition products: No decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:
Harmful if swallowed.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitizing effect known.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this product.

Carcinogenicity:

ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. IARC-3: Not classifiable as to carcinogenicity to humans.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for components in this product.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Experience with humans: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for components in this product.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Harmful Irritant

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.
12.3 Bioaccumulative potential No further relevant information available.
12.4 Mobility in soil No further relevant information available.

Additional ecological information: General notes:

Do not allow material to be released to the environment without proper governmental permits.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Safety data sheet according to 1907/2006/EC, Article 31

Page 4/5 Printing date 17.11.2015 Revision: 16.11.2015

(Contd. of page 3)

Trade name Hydrogen peroxide, 35% w/w aqueous solution, stabilized

2.5 Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Hand over to disposers of hazardous waste.

Must be specially treated under adherence to official regulations.

Consult state, local or national regulations for proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

UN-Number ADR, IMDG, IATA

14.2 UN proper shipping name

IMDG, IATA

2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3 Transport hazard class(es)

ADR





Class Label IMDG, IATA 5.1 (OC1) Oxidising substances. 5.1+8

UN2014





Class Label 5.1 Oxidising substances. 5.1 + 8

Packing group ADR, IMDG, IATA

14.5 Environmental hazards: Marine pollutant:

П Nο

14.6 Special precautions for user Kemler Number:

Warning: Oxidising substances.

EMS Number:

58 F-H,S-Q

Segregation groups

Peroxides 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC

Not applicable.

Code

Transport/Additional information: ADR

E2 1L Excepted quantities (EQ): Limited quantities (LQ) Transport category

Tunnel restriction code

UN "Model Regulation":

UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Chemical Substances

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons 7722-84-1 Hydrogen peroxide

National regulations
Information about limitation of use:
Employment restrictions concerning young persons must be observed.
For use only by technically qualified individuals.
Classification according to VbF: Not applicable

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations

ELINCS (European List of Notified Chemical Substances)

None of the ingredients is listed.

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

None of the ingredients are listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

None of the ingredients is listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Relevant phrases

H271 May cause fire or explosion; strong oxidiser. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H332 Harmful if inhaled.

S5+APPENDIX C, S6+APPENDIX C

Safety data sheet according to 1907/2006/EC, Article 31

Page 5/5 Printing date 17.11.2015 Revision: 16.11.2015

Trade name Hydrogen peroxide, 35% w/w aqueous solution, stabilized

Department issuing SDS: Global Marketing Department
Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VbF: Verordnung über brennbare Flüssigkeiten, Osterreich (Ordinance on the storage of combustible liquids, Austria)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
VvB: very Persistent and very Bloaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Ox. Lig. 1: Oxidising Liquids, Hazard Category 1
Skin Corr. 14: Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 3
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

(Contd. of page 4)