

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name **Methyl methacrylate**
Stock number: AT3030
CAS Number: 80-62-6
EC number: 201-297-1
Index number: 607-035-00-6

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

Alfa Aesar GmbH & Co.KG
A Johnson Matthey Company
Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com
www.alfa.com

Informing department:

Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number:

Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)

Poison Information Center Mainz

www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R37/38: Irritating to respiratory system and skin.

Xi; Sensitising

R43: May cause sensitisation by skin contact.



F; Highly flammable

R11: Highly flammable.

Information concerning particular hazards for human and environment:

Not applicable

Other hazards that do not result in classification

No information known.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008****Hazard pictograms****Signal word****Hazard statements**

The substance is classified and labelled according to the CLP regulation.

GHS02, GHS07

Danger

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements

P210

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241

Use explosion-proof electrical/ventilating/lighting/equipment.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P302+P352

IF ON SKIN: Wash with plenty of soap and water.

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT:

Not applicable.

vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients**3.1 Substances****CAS# Designation:**

80-62-6 Methyl methacrylate

Identification number(s):**EC number:**

201-297-1

Index number:

607-035-00-6

Impurities and stabilising additives:

Stabilised with:

4-Methoxyphenol (CAS# 150-76-5)

SECTION 4: First aid measures**4.1 Description of first aid measures****After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Trade name **Methyl methacrylate**

(Contd. of page 1)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media**
Suitable extinguishing agents
5.2 Special hazards arising from the substance or mixture
- CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- Danger of containers bursting upon heating.
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
- 5.3 Advice for firefighters**
Protective equipment:
- Wear self-contained breathing apparatus.
Wear full protective suit.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**
- Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
- 6.2 Environmental precautions:**
- Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach sewage system or water bodies.
Do not allow to enter the ground/soil.
- 6.3 Methods and material for containment and cleaning up:**
- Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- Prevention of secondary hazards:**
- 6.4 Reference to other sections**
- Keep away from ignition sources.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling**
- Keep containers tightly sealed.
Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires:**
- Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
- 7.2 Conditions for safe storage, including any incompatibilities**
- Storage**
Requirements to be met by storerooms and containers:
- Store in cool location.
- Information about storage in one common storage facility:**
- Store away from oxidizing agents.
Store in the dark.
Protect from heat.
- Further information about storage conditions:**
- Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from the effects of light.
- 7.3 Specific end use(s)**
- No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems:**
- Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters**Components with critical values that require monitoring at the workplace:****80-62-6 Methyl methacrylate (100,0%)**

AGW (Germany)	210 mg/m ³ , 50 ppm 2(l);DFG, EU, Y
PEL (USA)	410 mg/m ³ , 100 ppm
REL (USA)	410 mg/m ³ , 100 ppm
TLV (USA)	Short-term value: 410 mg/m ³ , 100 ppm Long-term value: 205 mg/m ³ , 50 ppm
SEN	

Additional information: No data

8.2 Exposure controls**Personal protective equipment****General protective and hygienic measures**

- The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Use breathing protection with high concentrations.
Check protective gloves prior to each use for their proper condition.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- Breathing equipment:**
- Use breathing protection with high concentrations.
- Protection of hands:**
- Check protective gloves prior to each use for their proper condition.
- Material of gloves**
- Impervious gloves
- Penetration time of glove material**
- Not determined
- Eye protection:**
- Safety glasses
Face protection
- Body protection:**
- Protective work clothing.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information****Appearance:**

- Form:** Liquid
- Colour:** Colourless
- Smell:** Acrid
- Odour threshold:** Not determined.

(Contd. on page 3)
DE/E

Trade name **Methyl methacrylate**

(Contd. of page 2)

pH-value: Not determined.

Change in condition

Melting point/Melting range: -48 °C
Boiling point/Boiling range: 100-101 °C
Sublimation temperature / start: Not determined

Flash point: 10 °C
Inflammability (solid, gaseous): Not applicable.
Ignition temperature: 430 °C
Decomposition temperature: Not determined
Self-inflammability: Not determined.

Critical values for explosion:
Lower: 2,1 Vol %
Upper: 12,5 Vol %

Steam pressure at 20 °C: 47 hPa
Density at 20 °C: 0,939 g/cm³
Relative density: Not determined.
Vapour density: Not determined.
Evaporation rate: Not determined.

Solubility in / Miscibility with
Water at 20 °C: 1,6 g/l
Partition coefficient (n-octanol/water): Not determined.

Viscosity:
dynamic: Not determined.
kinematic: Not determined.

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity: No information known.
10.2 Chemical stability: Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Danger of containers bursting upon heating.

Stable until: Depletion of inhibitor.

10.3 Possibility of hazardous reactions: Danger of polymerisation

10.5 Incompatible materials: Oxidizing agents

Heat

Light

Ultraviolet radiation

Free radical initiators

10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: Unless inhibited, the product can polymerize resulting in a temperature and pressure increase that may rupture the container.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification:

Oral	LD50	4725 mg/kg (dog)
		5954 mg/kg (guinea pig)
		3625 mg/kg (mouse)
		7872 mg/kg (rat)
		8700 mg/kg (rabbit)
Dermal	LD50	>5 gm/kg (rabbit)
Inhalative	LC50/2H	18500 mg/m ³ /2H (mouse)
	LC50/4H	78000 mg/m ³ /4H (rat)

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: May cause irritation

Sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this product.

Carcinogenicity: EPA-NL: Not likely to be carcinogenic to humans.

IARC-3: Not classifiable as to carcinogenicity to humans.

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this product.

Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for components in this product.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Experience with humans: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for components in this product.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information

12.1 Toxicity: No further relevant information available.

12.2 Persistence and degradability: No further relevant information available.

12.3 Bioaccumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

Additional ecological information:

General notes: Do not allow material to be released to the environment without proper governmental permits.

Water hazard class 1 (Assessment by list): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

(Contd. on page 4)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Revision: 03.08.2011

Printing date 01.07.2013

Trade name **Methyl methacrylate**

12.6 Other adverse effects No further relevant information available.

(Contd. of page 3)

SECTION 13: Disposal considerations**13.1 Waste treatment methods Recommendation**

Hand over to disposers of hazardous waste.
Must be specially treated under adherence to official regulations.
Consult state, local or national regulations for proper disposal.

Uncleaned packagings: Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information**UN-Number ADR, IMDG, IATA**

UN1247

14.2 UN proper shipping name ADR IMDG, IATA1247 METHYL METHACRYLATE MONOMER, STABILIZED
METHYL METHACRYLATE MONOMER, STABILIZED**14.3 Transport hazard class(es) ADR**

Class Label IMDG

3 (F1) Flammable liquids.
3

Class Label IATA

3 Flammable liquids.
3

Class Label

3.2
3**Packing group ADR, IMDG, IATA**

II

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Warning: Flammable liquids.

Kemler Number:

339

EMS Number:

F-E,S-D

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

Transport/Additional information:**ADR Excepted quantities (EQ): Limited quantities (LQ) Transport category Tunnel restriction code**E2
LQ4
2
D/E**UN "Model Regulation":**

UN1247, METHYL METHACRYLATE MONOMER, STABILIZED, 3, II

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Australian Inventory of Chemical Substances**

Substance is listed.

Standard for the Uniform Scheduling of Drugs and Poisons

80-62-6 Methyl methacrylate

S6+APPENDIX

National regulations**Information about limitation of use:**

Employment restrictions concerning young persons must be observed.
For use only by technically qualified individuals.

Classification according to VbF:

A 1

Technical instructions (air):

Class	Share in %
NK	100,0

Water hazard class:

Water hazard class 1 (Assessment by list): slightly hazardous for water.

Other regulations, limitations and prohibitive ELINCS (European List of Notified Chemical Substances)

Substance is not listed.

Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.**Abbreviations and acronyms:**

ICAO: International Civil Aviation Organization
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 5)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.07.2013

Revision: 03.08.2011

Trade name **Methyl methacrylate**

VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

(Contd. of page 4)

DE/E